




Landscaping Solutions


Providing Safety and Quality Design for both Commercial and Domestic Landscape Projects Ticks all the boxes $\sqrt{}$



Landscaping Solutions









RubberLok Safety Tiles

Safe, shock-absorbant surfacing for areas requiring long-lasting impact protection.

Guardian RubberLok safety tiles guarantee the highest safety standards for playgrounds. They allow children the freedom to play happily whilst mitigating the risk of injury.

The system offers protection where children jump or fall to the ground by attenuating the impact and therefore reducing risk of injury.

The system is also an effective safety covering for nursing homes, recreational areas, school yards, gymnasiums, climbing facilities, walkways and equestrian facilities. Additionally, the tiles can be customised with graphics for educational, games or just visual enhancement. A range of accessories is also available.

- Better highly durable, 100% recycled material
- Faster- quick and easy to install, less site labour costs
- Safer shock absorbant for falls from up to 3 metres
- Superb drainage and water permeability
- Allows tile replacement in high use areas
- Tested and approved

Red - Tile size: 500mm x 500mm. Tile thickness: 25, 30, 40, 50, 60 & 70mm.

Options. Rectangular: 1000mm x 500mm x 40mm. Sport tile: 500mm x 500mm x 40mm.

Green - Tile size: 500mm x 500mm. Tile thickness: 25, 30, 40, 50 & 70mm. **Options.** Sport tile: 500mm x 500mm x 40mm.

Grey / Black - Tile size: 500mm x 500mm. Tile thickness: 25, 30 & 40mm.
















Critical Fall Heights & Shock-absorbent Products

As playground equipment is available in various heights we offer a wide range of shock absorbant surfacing slabs up to a fall height of 3 metres.



Softsystem

2.6m

3.0m

IP-slab 60mm

Base layer 20mm

80mm

90mm

22

EuroFlex® 90

Guardian RubberLok safety tiles are tested in accordance with DIN EN 1176-1:2008 to determine the HIC value, and in accordance with ASTM-F-1292:2009.







RubberLok Safety Tiles

RubberLok Safety Tiles are quick and easy to install, using a simple interlocking dowel method and requiring minimal groundwork preparation.

For full installation instructions, please visit: celuplast.com or for further information please contact our office.







Integrated Accessories



Letter & Number Tiles



Design Tiles



Edge & Corner Profiles



Cobble Block



Mushrooms



Animals



Cubes





DuraDek Composite Decking

The high-performance, durable and non-slip alternative to traditional timber decking.

Guardian DuraDek is a weather resistant, easy to clean hollow decking system available in three contemporary colours to add that extra dimension to any external living space.

DuraDek is quick and easy to install and features a double-sided profile offering a choice of two distinct finishes that can also be 'mix and matched' or reversed after a period of time.

Slip resistant and splinter-free, DuraDek is very low maintenance with no requirement for annual treatment or oiling to keep that just installed look.

- Better does not rot, unlike timber decking, weather resistant and easy to clean
- ◆ Faster quick and easy to install
- Safer durable, slip resistant, split and splinter-free surface
- Low maintenance
- Hidden fixing system
- Environmentally friendly
















8 | Landscaping Solutions





DuraDek Composite Decking

Supplied complete with DuraDek stainless steel fixings for quick and easy installation, and with a colour coded edging trim available for that finishing touch.

Once the area is prepared for decking, installation is made fast and simple by using specially designed clips and edging trims, ensuring a professional and long-lasting finish.





DuraDek stainless steel starter clip fixed using Ø3mm stainless steel screws.





DuraDek stainless steel joint clip provides secure fit and even spacing of planks.






Fix colour-coded Edging Trim using Ø3mm stainless steel screws at 500mm centres.



Provide a minimum 10mm gap between edge of decking and any adjacent wall.



Accessories



Colour-coded Edging Trims



Stainless Steel Fixing Clips and Starter Clips



Stainless Steel Decking Screws



Composite Keel System





DuraGrassArtificial Grass

High performance, natural look artificial grass for the perfect lawn all year round.

Guardian DuraGrass is an artificial grass system that transforms any garden, outdoor play area or open space with the perfect lawn - maintenance-free!

DuraGrass not only looks great and feels real, it's made to last. Manufactured using the latest technology, DuraGrass only uses base materials that are durable and don't contain organic matter which can rot over time.

With three colour options available, you can choose the colour most suited to the surrounding environment.



Jersey Green (7mm thickness)



Tennessee Green-Beige (20mm thickness)



Seattle Green-Green (30mm thickness)

- Better eco-friendly, conserves water
- Faster quick to install
- Safer child and pet friendly
- UV-resistant, hard wearing and maintenance-free
 no mowing or fertilising necessary

Available Sizes



Roll size: 2m x 4m Thickness: 7mm, 20mm & 30mm.

















DuraGrassArtificial Grass

Installing DuraGrass is quick and easy. A choice of coverage sizes and thicknesses ensures you can select the optimum solution for your project.





Our accessories are designed to work with DuraGrass so we can supply everything you need to lay the perfect lawn.



Adhesive Joint Tape 15cm x 5m



Seaming Tape 30cm x 10m



Grass Ties





CELUPLAST



SafetyGrass Rubber Matting

Durable, non-slip, impact absorbing matting for heavily trafficked and hazardous areas.


Guardian SafetyGrass rubber matting is ideal for grassed sites and walkways requiring extra protection from heavy traffic and erosion - either laying on solid surfaces or disappearing from view on grassed areas.

Guardian SafetyGrass allows grass to grow through 25mm holes while providing efficient drainage. Hardwearing, resistant to all weather and extreme temperatures, SafetyGrass can be laid on flat or contoured surfaces, with little or no groundwork necessary. Once the grass has grown through, it can be cut with a conventional lawnmower.

SafetyGrass is also ideal for safety protection on hazardous hard surfaces, providing a slip resistant, impact absorbing barrier.

- Better affordable, maintenance-free and durable safety solution
- Faster quick and simple to install and easily shaped around existing structures
- Safer non-slip and impact absorbing
- Manufactured from recycled rubber
- Fully tested and compliant to EN 1177 and BS 7188

Available Sizes








16 | Landscaping Solutions










Accessories



SafetyGrass Pegs



Tech Mesh 30m x 2m



Cable Ties





RubberLok Utility Mats

Heavy duty, non-slip floor protection mat for a wide range of applications.

RubberLok utility mats are ideal for a wide range of applications from anti-vibration mats for domestic appliances to floor protection during construction.





- Better highly resilient, made from 100% recycled material
- ◆ Safer heavy duty and non-slip
- ◆ Anti-vibration mat for domestic appliances
- ◆ Ideal for floor protection during construction
- Mat size 600mm x 600mm x 8mm



Easy to cut to shape



No underlay or





18 Landscaping Solutions







Roofing & Cladding Solutions

- ◆ Guardian Roof Slate
- ◆ Guardian Roof Shingle
- ◆ Fascia & Soffit
- Exterior Cladding
- Gutters & Downpipes
- ◆ Gutter Brush

Window Solutions

- Window Boards
 Trims
- ◆ External Cills
- Adhesives & Sealants

Interior Solutions

- Decorative Wall & Ceiling Cladding
- Hygienic Wall Cladding
- Accessories & Trims

Flooring Solutions

- CleverClick Luxury
 Vinyl Flooring
- ◆ Tiles & Timber
- ♦ Accessories & Trims
- RubberLok Utility Mats

Landscape Solutions

- DuraDek Composite Decking
- ◆ RubberLok Safety Tiles
- ◆ DuraGrass Artificial Grass
- SafetyGrass Rubber Matting
- RubberLok Utility Mats







All images featured in this brochure are representative only.

Whilst care has been taken to reproduce Celuplast colours in this brochure, due to limitations in the printing process, the swatches shown may not exactly match actual product.

We recommend viewing actual product samples prior to purchase. A sample product should be checked before installation as errors will not be considered once a project has commenced.

Celuplast Ltd

Tel: +353 1 8326210 Email: info@celuplast.com

www.celuplast.com

Whilst Celuplast has made every attempt to ensure that this information is accurate and reliable at the time of its publication; we cannot accept responsibility for any errors, omissions, inaccuracies or any changes that have occurred since the date of publication or for the results obtained from the use of such information.

February 2019

